

## **Patient Enrollment Form**

Phone: 844.695.2667 • Fax: 844.292.8395



PATIENT INFORMA	TION (Please print)		
Name (First, MI, Las	st, Suffix):		
Date of Birth:		Gender: M 🗌 🛛 F	
Home Address:			
City:		State:	Zip:
Home Phone:		Cell Phone:	
Email Address:			
Allergies:		Other Medications	<u>;</u>
the section below	eceive text message w titled "Contact by	·	
to provide additi	ional therapy suppo eceive marketing em	ne calls from a VIATRIS ADV ort and help answer any the nails per the attached <b>Patie</b>	erapy-related questions
PRESCRIBER INFO	RMATION		
Physician:			
NP/PA (if prescribe	r):		
Facility Name:			
Address:			
City:	State:	Zip:	
Phone:	Fax:		
Office Contact:		Email:	
PRESCRIBER SIGNA	ATURE REQUIRED	FOR PRESCRIPTION ORE	DERS:
Relapsing Forms of Mul information on this fo prescription, by fax or	<u>ltiple Sclerosis.</u> I authorm to the insurer of to by other mode of de	nosis ICD-10 CM G35 Treatme rize VIATRIS ADVOCATE to p he named patient and to for livery, to the pharmacy.	rovide any
Prescriber's Signatur	e:		
(Dispense as Written)		(Brand Exchange Permis	rsible)
(NPI#)		(Date)	

Primary Insurance Name:		
Medicare: A B D (attach a c	copy of red, white and blue Medicare card)	
Beneficiary/Cardholder Name:		
Primary Insurance ID#:	Group#:	
Primary Insurance Phone#:		
Does the patient have a pharmacy benefit	card? Yes No	
By signing below, I have read and agree to the		
Patient Authorization Section A. (Signatu VIATRIS™ Glatiramer Acetate Injection)	re required if Prescriber is ordering	
VIATRIS Glatifather Acctate injection,		
X		
Patient/Legal Guardian Signature	Date (MM/DD/YYYY	
	Date (MM/DD/YYYY) he box for prescriptions/orders required: Device and/or Injection Training)	
	he box for prescriptions/orders required: Device and/or Injection Training)	
PRESCRIPTION INFORMATION (Check t Product,	he box for prescriptions/orders required: Device and/or Injection Training)  Viatris' Glatiramer Acetate Injection 40 mg/mL pre-filled syringes	
PRESCRIPTION INFORMATION  (Check t Product, )  Viatris' Glatiramer Acetate Injection 20 mg/mL pre-filled syringes  • Inject 20 mg SQ once a day	he box for prescriptions/orders required: Device and/or Injection Training)  Viatris' Glatiramer Acetate Injection 40 mg/mL pre-filled syringes Inject 40 mg SQ 3 times a week	
PRESCRIPTION INFORMATION  (Check t Product, )  Viatris' Glatiramer Acetate Injection 20 mg/mL pre-filled syringes	he box for prescriptions/orders required: Device and/or Injection Training)  Viatris' Glatiramer Acetate Injection 40 mg/mL pre-filled syringes	
PRESCRIPTION INFORMATION  (Check t Product,  Viatris' Glatiramer Acetate Injection 20 mg/mL pre-filled syringes  Inject 20 mg SQ once a day  Dispense: 1 box of 30 syringes	he box for prescriptions/orders required: Device and/or Injection Training)  Viatris' Glatiramer Acetate Injection 40 mg/mL pre-filled syringes Inject 40 mg SQ 3 times a week Dispense: 1 box of 12 syringes	
PRESCRIPTION INFORMATION  (Check t Product)  Viatris' Glatiramer Acetate Injection 20 mg/mL pre-filled syringes  Inject 20 mg SQ once a day  Dispense: 1 box of 30 syringes (30-day supply)	he box for prescriptions/orders required: Device and/or Injection Training)  Viatris' Glatiramer Acetate Injection 40 mg/mL pre-filled syringes Inject 40 mg SQ 3 times a week Dispense: 1 box of 12 syringes (28-day supply)	
PRESCRIPTION INFORMATION  (Check the Product, Pr	he box for prescriptions/orders required: Device and/or Injection Training)  Viatris' Glatiramer Acetate Injection 40 mg/mL pre-filled syringes Inject 40 mg SQ 3 times a week Dispense: 1 box of 12 syringes (28-day supply)  May dispense up to a 84-day supply Refills: x 1 year	
PRESCRIPTION INFORMATION  (Check t Product, Check t Product, Check t Product, Check t Product, Check to Product, Check t	he box for prescriptions/orders required: Device and/or Injection Training)  Viatris' Glatiramer Acetate Injection 40 mg/mL pre-filled syringes Inject 40 mg SQ 3 times a week Dispense: 1 box of 12 syringes (28-day supply)  May dispense up to a 84-day supply Refills: x 1 year	
PRESCRIPTION INFORMATION  (Check the Product)  Viatris' Glatiramer Acetate Injection 20 mg/mL pre-filled syringes Inject 20 mg SQ once a day Dispense: 1 box of 30 syringes (30-day supply) May dispense up to a 90-day supply Refills: x 1 year  WhisperJECT® Autoinjector* device (free	he box for prescriptions/orders required: Device and/or Injection Training)  Viatris' Glatiramer Acetate Injection 40 mg/mL pre-filled syringes Inject 40 mg SQ 3 times a week Dispense: 1 box of 12 syringes (28-day supply)  May dispense up to a 84-day supply Refills: x 1 year	

Signature stamps not acceptable.
Please attach all prescriptions on Official State Prescription form if mandated by individual state laws.

Viatris' Glatiramer Acetate Injection 20 mg/mL pre-filled syringes Viatris' Glatiramer Acetate Injection 40 mg/mL pre-filled syringes



A. PATIENT AUTHORIZATION: I authorize my

healthcare providers and health insurers to

administrator, and their respective agents

and service providers (collectively, "VIATRIS

information ("PHI"), including information

about my insurance, prescriptions, medical

ADVOCATE. may use the information to assist

me with benefits support in connection with

treatment and support, to conduct market

pursuant to this authorization, my PHI may

no longer be protected by federal law and

could be re-disclosed to others, but I also

understand that VIATRIS ADVOCATE intends

to safeguard my PHI and to use and disclose

it only for the purposes described herein. I

understand that I do not need to sign this

authorization in order to receive healthcare

treatment or insurance benefits, and that I

may cancel the authorization at any time by

Administrator, 1000 Mylan Blvd., Canonsburg,

PA 15317, or by fax to 1.844.292.8395. If I do

not cancel it, the authorization will remain in

effect for five years from the date of my

sending a written notice of cancellation by

mail to: VIATRIS ADVOCATE Opt-out

signature on the previous page.

alternatives. I understand that once disclosed

disclose to Viatris Inc. d/b/a VIATRIS

ADVOCATE.") my protected health

condition and health, so that VIATRIS

my treatment with Viatris products,

communicate with me regarding such

research and inform me of treatment

ADVOCATE., its affiliates, its program

## **Patient Enrollment Form** Phone: 844.695.2667 • Fax: 844.292.8395

Glatiramer Acetate Injection

instructions for how to use glatiramer acetate injection

• choosing a different injection area each time you use glatiramer acetate injection

Liver problems, including liver failure, can occur with GLATIRAMER ACETATE INJECTION. Call your healthcare provider right away if you have symptoms, such as nausea, loss of appetite, tiredness, dark colored urine and pale stools, yellowing of your skin or the white part of your eye, bleeding more easily than normal, confusion, or sleepiness.

Some glatiramer acetate products can be used with an optional compatible autoiniector. Compatible autoiniectors are supplied separately if available, but the availability of compatible autoinjectors may change with time. Check with your healthcare provider when you fill or refill your medicine to make sure the autoinjector you have is meant to be used with your glatiramer acetate product. If you use the wrong autoinjector, you might not get the correct dose of your medicine.

The most common side effects in studies of GLATIRAMER ACETATE INJECTION are skin problems at your injection site, including redness, pain, swelling, itching, or a lump at the site of injection, rash, shortness of breath, flushing (vasodilation), and chest pain. These are not all the possible side effects of GLATIRAMER ACETATE INJECTION. For a complete list, ask your healthcare provider or pharmacist. Tell your healthcare provider about any side effects that you have while taking GLATIRAMER ACETATE INJECTION.

by mail, email, telephone calls, and text messages at the number(s) and address(es) provided on this Patient Enrollment Form for the purpose of injection reminders and any other purposes described in the preceding Patient Authorization. I confirm that I am the subscriber for the telephone number(s) provided on this Patient Enrollment Form and the authorized user for the email address(es) provided, and I agree to notify VIATRIS ADVOCATE. promptly if any of my number(s) or address(es) change in the future. I understand that my wireless service provider's message and data rates may apply.

C. MARKETING CONSENT: I would also like to receive marketing information, offers, and promotions from Viatris Inc. regarding its products, programs, and services. I agree to be contacted by email at the email address provided on this form with such information as well as with inquiries about my opinions regarding such products, programs, and services.

I understand that the personal information I supply to Viatris Inc. will be shared with and among its business partners to provide me with information on Viatris-specific products, programs and services. I may cancel my participation at any time by calling 1.844.695.2667 or by following the opt-out instructions contained within the emails themselves.

**USE:** GLATIRAMER ACETATE INJECTION is a prescription medicine that is used to treat relapsing forms of multiple sclerosis (MS), to include clinically isolated syndrome, relapsing-remitting disease, and active secondary progressive disease, in adults. It is

not known if GLATIRAMER ACETATE INJECTION is safe and effective in children under 18 years of age.

**IMPORTANT SAFETY INFORMATION:** Do not take GLATIRAMER ACETATE INIECTION if you are allergic to glatiramer acetate or mannitol.

Serious side effects may happen right after or within minutes after you inject GLATIRAMER ACETATE INJECTION at any time during your course of treatment. Call your healthcare provider right away if you have any of these immediate post-injection reaction symptoms including redness to your cheeks or other parts of the body (flushing); chest pain; fast heartbeat; anxiety; breathing problems or tightness in your throat; or swelling, rash, hives, or itching. If you have symptoms of an immediate post-injection reaction, do not give yourself more injections until a healthcare provider tells you to.

Chest pain may occur either as part of the immediate post-injection reaction or by itself. This type of chest pain usually lasts a few minutes and can begin around 1 month after you start using GLATIRAMER ACETATE INJECTION. Call your healthcare provider right away if you experience chest pain.

Damage to the fatty tissue just under your skin's surface (lipoatrophy) and, rarely, death of your skin tissue (necrosis) can happen when you use glatiramer acetate injection. Damage to the fatty tissue under your skin can cause a "dent" at the injection site that may not go away. You can reduce your chance of developing these problems by:

following your healthcare provider's

copy of this authorization when it is signed. **B. CONTACT BY TELEPHONE OR TEXT:** 

I understand that I have a right to receive a

I agree to be contacted by VIATRIS ADVOCATE

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see accompanying Full Prescribing Information, Patient Information Leaflet and Instructions for Use for GLATIRAMER ACETATE INJECTION 20 mg/mL or GLATIRAMER ACETATE INJECTION 40 mg/mL.

For more information, visit glatirameracetate.com.

Whisper|ECT® and the Glatiramer Acetate Injection Logo are registered trademarks of Mylan Pharmaceuticals Inc., a Viatris Company.

VIATRIS and the Viatris Logo are trademarks of Mylan Inc., a Viatris Company.

VIATRIS ADVOCATE and the Viatris Advocate Logo are registered trademarks of Mylan Inc., a Viatris Company.

BD® is a registered trademark of Becton, Dickinson and Company.

© 2024 Viatris Inc. All Rights Reserved. GA-2019-0154 V7